

DECLARATION OF PERFORMANCE (DoP)
DoPNo. 2021/A22/53

1. Unique identification code of the product-type:

One hole pipe clip F, Self-drilling screw wide head AGRP

...

2. Type, batch or serial and lot number or any other element allowing identification of the construction product as required pursuant to Article 275/2013 (VII. 16).

The type and the lot number can be found on the packaging of the product ...

3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:

Area of application	design of fastening systems	
Product identification number (with size code):	F-6 (96F), F-8 (98F), F-10 (910F) F-12 (912F) F-14 (914F) F-16 (916F) F-18 (918F) F-20 (920F) F-22 (920F)	MSZE 24102 MSZ EN 1363-1 MSZ EN 13501-1
Fixing	4,2x13 (913AGRP) 4,8x16 (924AGRP)	

...

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 275/2013 (VII. 16) edict:

CELO, Roselló, 7 – Pol.Ind. La Bruguera
08211 Castellar del Vallés, Barcelona, Spanyolország

...

5. System or systems for assessing and verifying the constancy and the performance of construction products:

2+ Systems

...

6. TSUS Technický a skúšobný ústav stavebný, n. o. (Building Testing and Research Institute) has issued the Immutability of the parameters of the essential properties of the construction product certifikat No. SK04-ZSV-1998, according to this document, TSUS Technický a skúšobný ústav stavebný SK- Studená 967/3, 821 04 Bratislava is a designated body which does:

- the definition of the product type,
- random testing of the product,
- basic inspection of the manufacturing plant and of the factory production control,
- continuous surveillance, inspection and assessment of factory production control performed in the 2+ system and issued the Immutability of the parameters of the essential properties of the construction product certifikat No. SK04-ZSV-1998.

7. Declared performance

Tensile load capacity (ceiling mounting)		MSZE 24102 MSZ EN 1363-1 MSZ EN 13501-1
Fire resistant usage for 90 minutes (R90)	<u>On a steel structure:</u> AGRP+F	
Non-fire resistant usage	<u>On steel structure:</u> AGRP+F	
Raw material Thickness of the zinc layer Fire class	Galvanized Steel ≥ 7 A1 (according to EN 13501-1)	
Surface treatment, corrosion protection	zinc plating	

The performance of the product defined in points 1. and 2. , suits to the declared performance indicated in point 7.
The manufacturer specified in point 4. is responsible for this declaration of performance.

Date of issue: 13.10.2021.

Signing person in the name and on behalf of the manufacturer:



.....
Angel Copete
Technical Manager
Celo SA



.....
Béres Krisztián
General Manager
Celo Hungária Kft.