

**DECLARATION OF PERFORMANCE (DoP)**  
**DoPNo. 2023/A22/69**

**1. Unique identification code of the product-type:**

Metal Semicircular bracket (with bore)

...

**2. Type, batch or serial and lot number or any other element allowing identification of the construction product as required pursuant to Article 275/2013 (VII. 16).**

The type and the lot number can be found on the packaging of the product ...

**3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:**

Area of application	pipe or wire fixing fore fireproof applications	
Product identification number (with size code):	Metal semicircular bracket (with bore) 96 F Metal semicircular bracket (with bore) 98 F Metal semicircular bracket (with bore) 910 F Metal semicircular bracket (with bore) 912 F Metal semicircular bracket (with bore) 914 F Metal semicircular bracket (with bore) 916 F Metal semicircular bracket (with bore) 918 F Metal semicircular bracket (with bore) 920 F Metal semicircular bracket (with bore) 922 F Metal semicircular bracket (with bore) 925 F Metal semicircular bracket (with bore) 926 F Metal semicircular bracket (with bore) 928 F Metal semicircular bracket (with bore) 932 F Metal semicircular bracket (with bore) 940 F Metal semicircular bracket (with bore) 942 F Metal semicircular bracket (with bore) 950 F Metal semicircular bracket (with bore) 963 F	MSZE 24102 MSZ EN 1363-1 MSZ EN 13501-1 EN 13501-2:2019

...

4. **Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 275/2013 (VII. 16) edict:**

CELO, Roselló, 7 – Pol.Ind. La Bruguera  
08211 Castellar del Vallés, Barcelona, Spanyolország

...

5. **System or systems for assessing and verifying the constancy and the performance of construction products:**

2+ Systems

...

6. **ÉMI Non-Profit Limited Liability Company for Quality Control and Innovation in Building, H-2000 Szentendre, Dózsa György út 26., has issued the National Technical Assessment No. A22 / 2018, according to this document, ÉMI Non-Profit Llc., H-2000 Szentendre, Dózsa György út 26. is a designated body which does:**

- the definition of the product type,
- random testing of the product,
- basic inspection of the manufacturing plant and of the factory production control,
- continuous surveillance, inspection and assessment of factory production control

performed in the 2+ system and issued the National Technical Assessment of the product under number A22 / 2018.

7. Declared performance

Load capacity (ceiling and side wall mounting)		MSZ EN 1363-1 MSZ EN 13501-1 MSZE 24102 DIN 4102-12:1998-11 EN 13501-2:2019
F6– F18 Non fireproof application	<u>Tension load [Kg]:</u> 2 Kg	
F6 – F18 Fireproof application up to 90 minutes (R90)	<u>Tension load [Kg]:</u> 0,3 Kg	
F20 - F63	No performance declared	
Base material	Galvanised steel	
Surface treatment, corrosion protection thickness of the zinc plating fire protection class	zinc layer thickness ≥ 7	

The performance of the product defined in points 1. and 2. , suits to the declared performance indicated in point 7.  
The manufacturer specified in point 4. is responsible for this declaration of performance.

Date of issue: 18.07.2023.

Signing person in the name and on behalf of the manufacturer:



.....  
**Angel Copete**  
Technical Manager  
Celo SA

CELO Hungária Kft.  
2851 Kőmnye, Budai út 1/C  
Adószám: 13017453-2-11  
EU adószám: HU 13017453  
Bank: 10910001-36070005-1120005



.....  
**Lukács Ákos**  
Product Manager  
Celo Hungária Kft.