

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 2 of 11

Additional advice on labelling

For distribution to the general public:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of the reach of children.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|---|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| 97-90-5 | Ethylene dimethacrylate | | | 10 - < 15 % |
| | 202-617-2 | 607-114-00-5 | 01-2119965172-38 | |
| | Skin Sens. 1, STOT SE 3; H317 H335 | | | |
| 27813-02-1 | Methacrylic acid, monoester with propane-1,2-diol | | | 5 - < 10 % |
| | 248-666-3 | | 01-2119490226-37 | |
| | Eye Irrit. 2, Skin Sens. 1; H319 H317 | | | |
| 38668-48-3 | 1,1'-(p-Tolylimino)dipropan-2-ol | | | < 1 % |
| | 254-075-1 | | 01-2119980937-17 | |
| | Acute Tox. 2, Aquatic Chronic 3; H300 H412 | | | |
| 6846-50-0 | 1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate | | | < 1 % |
| | 229-934-9 | | 01-2119451093-47 | |
| | Repr. 2, Aquatic Chronic 3; H361d H412 | | | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove affected person from the danger area and lay down. Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision date: 16.03.2019

VYSF, Comp. A

Product code: SDB0030

Page 3 of 11

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam.
Extinguishing powder
Water spray jet
Carbon dioxide (CO₂).

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic
Carbon monoxide

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit. In case of fire and/or explosion do not breathe fumes.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand
Treat the recovered material as prescribed in the section on waste disposal.
Retain contaminated washing water and dispose it.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area.
Wear personal protection equipment (refer to section 8).
Avoid contact with skin, eyes and clothes.
When using do not eat, drink or smoke.
Wash hands thoroughly after handling.
Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.
Store in a place accessible by authorized persons only.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 4 of 11

Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

storage temperature: 5 - 25°C

7.3. Specific end use(s)

Adhesive mortar for fastening elements A-component (resin)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---|----------------|----------|------------------------|
| 27813-02-1 | Methacrylic acid, monoester with propane-1,2-diol | | | |
| Worker DNEL, long-term | | inhalation | systemic | 14,7 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 4,2 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 8,8 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 2,5 mg/kg bw/day |
| Consumer DNEL, long-term | | oral | systemic | 2,5 mg/kg bw/day |
| 38668-48-3 | 1,1'-(p-Tolylimino)dipropan-2-ol | | | |
| Worker DNEL, long-term | | inhalation | systemic | 2 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 0,6 mg/kg bw/day |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 5 of 11

PNEC values

| CAS No | Substance | Value |
|--|--|---------------|
| Environmental compartment | | |
| 27813-02-1 | Methacrylic acid, monoester with propane-1,2-diol | |
| Freshwater | | 0,904 mg/l |
| Marine water | | 0,904 mg/l |
| Freshwater sediment | | 6,28 mg/kg |
| Marine sediment | | 6,28 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 10 mg/l |
| Soil | | 0,727 mg/kg |
| 38668-48-3 | 1,1'-(p-Tolylimino)dipropan-2-ol | |
| Freshwater | | 0,017 mg/l |
| Marine water | | 0,0017 mg/l |
| Freshwater sediment | | 0,0782 mg/kg |
| Marine sediment | | 0,00782 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 199,5 mg/l |
| Soil | | 0,005 mg/kg |
| 6846-50-0 | 1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate | |
| Freshwater | | 0,014 mg/l |
| Marine water | | ,0014 mg/l |
| Freshwater sediment | | 1,15 mg/kg |

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat, drink or smoke.

Eye/face protection

Wear eye protection/face protection. Safety goggles with side shields are recommended.

Hand protection

Recommended material: NBR (Nitrile rubber)
Breakthrough time: > 480 min
Thickness of the glove material: 0,5 mm
DIN-/EN-Norms: EN 374

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 6 of 11

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection with combination filter A1P2 (organic gases/vapors and particles)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: light beige
pH-Value: not determined

Changes in the physical state

Melting point: not determined
Initial boiling point and boiling range: not determined
Flash point: not applicable

Flammability

Solid: not determined
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Auto-ignition temperature

Solid: not determined
Gas: not applicable
Decomposition temperature: not determined

Oxidizing properties

Not oxidising.
Vapour pressure: not determined
Density (at 20 °C): 1,71 g/cm³
Water solubility: The study does not need to be conducted because the substance is known to be insoluble in water.

Solubility in other solvents

not determined
Partition coefficient: not determined
Vapour density: not determined
Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 7 of 11

Response: Oxidising agent, strong

10.4. Conditions to avoid

Heat. Keep cool. Protect from sunlight.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

| CAS No | Chemical name | | | | |
|------------|--|---------------|---------|------------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 97-90-5 | Ethylene dimethacrylate | | | | |
| | oral | LD50 mg/kg | 8700 | Rat | |
| 27813-02-1 | Methacrylic acid, monoester with propane-1,2-diol | | | | |
| | oral | LD50 mg/kg | 11200 | Rat | |
| | dermal | LD50 mg/kg | > 5000 | Rabbit | |
| 38668-48-3 | 1,1'-(p-Tolylimino)dipropan-2-ol | | | | |
| | oral | LD50 mg/kg | 27,5 | Rat | |
| 6846-50-0 | 1-Isopropyl-2,2-dimethyltrimethylene Diisobutyrate | | | | |
| | oral | LD50 mg/kg | 3200 | Rat | |
| | dermal | LD50 mg/kg | 18900 | Guinea pig | |

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 8 of 11

| CAS No | Chemical name | | | | | |
|------------|---|--------------|-----------|---------|--------|--------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 97-90-5 | Ethylene dimethacrylate | | | | | |
| | Crustacea toxicity | NOEC mg/l | 13,2 | 2 d | | |
| 27813-02-1 | Methacrylic acid, monoester with propane-1,2-diol | | | | | |
| | Acute fish toxicity | LC50 | 379 mg/l | 96 h | | |
| | Acute crustacea toxicity | EC50 mg/l | >143 | 48 h | | |
| | Algae toxicity | NOEC mg/l | >97,2 | 3 d | | |
| | Crustacea toxicity | NOEC mg/l | 45,2 | 21 d | | |

12.2. Persistence and degradability

The product has not been tested.

| CAS No | Chemical name | | | | |
|------------|---|-------|----|--------|--|
| | Method | Value | d | Source | |
| | Evaluation | | | | |
| 27813-02-1 | Methacrylic acid, monoester with propane-1,2-diol | | | | |
| | OECD 310 | 81% | 28 | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|----------------------------------|---------|
| 38668-48-3 | 1,1'-(p-Tolylimino)dipropan-2-ol | 2,1 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

The following waste code numbers from the European Waste Catalog (EWC) are considered as recommendations.

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Waste disposal number of waste from residues/unused products

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 9 of 11

Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)
(SEVESO III):

Additional information

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 10 of 11

VOC content: 6,9 % (DIN EN ISO 11890-2)

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D): 1 - slightly water contaminating
Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADN: Accord européen relatif au transport international des marchandises Dangereuses par voie de Navigation
(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS: Chemical Abstracts Service
CLP: Classification, Labeling and Packaging
DMEL: Derived Minimal Effect level
DNEL: Derived No Effect Level
EC50: Effective concentration, 50%
ErC50: EC50 in terms of reduction of growth rate
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)
IMDG: International Maritime Code for Dangerous Goods
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
PBT: persistent, bioaccumulative and toxic
vPvB: very persistent and very bioaccumulative
PNEC: Predicted No Effect Concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail)
VOC: Volatile organic compound
Acute Tox. 2: Acute toxicity, Category 2
Aquatic Chronic 3: Long-term aquatic hazard, Category 3
Eye Irrit. 2: Serious eye damage/eye irritation, Category 2
Skin Sens. 1: Skin sensitization, Category 1
STOT SE 3: Specific target organ toxicity (single exposure), Category 3

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Skin Sens. 1; H317 | Calculation method |
| STOT SE 3; H335 | Calculation method |

Relevant H and EUH statements (number and full text)

H300 Fatal if swallowed.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. A

Revision date: 16.03.2019

Product code: SDB0030

Page 11 of 11

H361d Suspected of damaging the unborn child.
H412 Harmful to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. B

Revision date: 21.03.2019

Product code: SDB0020

Page 2 of 10

Additional advice on labelling

For distribution to the general public:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of the reach of children.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

| CAS No | Chemical name | | | Quantity |
|---------|---|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification according to Regulation (EC) No. 1272/2008 [CLP] | | | |
| 94-36-0 | Dibenzoyl peroxide | | | 10 - < 15 % |
| | 202-327-6 | 617-008-00-0 | 01-2119511472-50 | |
| | Org. Perox. B, Eye Irrit. 2, Skin Sens. 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 10); H241 H319 H317 H400 H410 | | | |

Full text of H and EUH statements: see section 16.

Further Information

The product has been tested for aquatic toxicity. The tests show no need for classification of the product as toxic and harmful to aquatic life. Test reports are available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Take off immediately all contaminated clothing and wash it before reuse. Get medical advice/attention if you feel unwell.

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VYSF, Comp. B

Revision date: 21.03.2019

Product code: SDB0020

Page 3 of 10

Extinguishing powder
Water spray jet
Carbon dioxide (CO₂).

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Pyrolysis products, toxic
Carbon monoxide

5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes.
Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.
Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Provide adequate ventilation. Avoid contact with skin, eyes and clothes.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Collect spillage. Take up mechanically, placing in appropriate containers for disposal. Suitable material for taking up: Sand
Treat the recovered material as prescribed in the section on waste disposal.
Retain contaminated washing water and dispose it.

6.4. Reference to other sections

Safe handling: see section 7
Personal protection equipment: see section 8
Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only outdoors or in a well-ventilated area.
Wear personal protection equipment (refer to section 8).
Avoid contact with skin, eyes and clothes.
When using do not eat, drink or smoke.
Wash hands thoroughly after handling.
Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.
Store in a place accessible by authorized persons only.
Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Oxidising agent, strong
Do not use for products which come into contact with the food stuffs.

Further information on storage conditions

Keep container tightly closed in a cool place.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VYSF, Comp. B

Revision date: 21.03.2019

Product code: SDB0020

Page 4 of 10

storage temperature: 5 - 25°C

7.3. Specific end use(s)

see section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|---------|--------------------|-----|-------------------|-----------|-----------|--------|
| 94-36-0 | Dibenzoyl peroxide | - | 5 | | TWA (8 h) | WEL |
| 56-81-5 | Glycerol, mist | - | 10 | | TWA (8 h) | WEL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|--------------------|----------------|----------|----------------------|
| 94-36-0 | Dibenzoyl peroxide | | | |
| Consumer DNEL, long-term | | oral | systemic | 2 mg/kg bw/day |
| Worker DNEL, long-term | | dermal | systemic | 13,3 mg/kg bw/day |
| Worker DNEL, long-term | | inhalation | systemic | 39 mg/m ³ |

PNEC values

| CAS No | Substance | Value |
|---------------------|---------------------------|---------------|
| | Environmental compartment | |
| 94-36-0 | Dibenzoyl peroxide | |
| Freshwater | | 0,00002 mg/l |
| Marine water | | 0,000002 mg/l |
| Freshwater sediment | | 0,013 mg/kg |
| Marine sediment | | 0,001 mg/kg |

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means.

Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Draw up and observe skin protection programme. Wash hands thoroughly after handling. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection. Safety goggles with side shields are recommended.

Hand protection

Recommended material: NBR (Nitrile rubber)
Breakthrough time: > 480 min
Thickness of the glove material: 0,5 mm
DIN-/EN-Norms: EN 374

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. B

Revision date: 21.03.2019

Product code: SDB0020

Page 5 of 10

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection with combination filter A1P2 (organic gases/vapors and particles)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | | |
|-----------------|----------------|----------------|
| Physical state: | Paste | |
| Colour: | black | |
| Odour: | characteristic | |
| pH-Value: | | not applicable |

Changes in the physical state

| | |
|--|----------------|
| Melting point: | not determined |
| Initial boiling point and boiling range: | not determined |
| Flash point: | not applicable |

Flammability

| | |
|-------------------------|----------------|
| Solid: | not determined |
| Gas: | not applicable |
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |

Auto-ignition temperature

| | |
|----------------------------|----------------|
| Solid: | not determined |
| Gas: | not applicable |
| Decomposition temperature: | not determined |

Oxidizing properties

Not oxidising.
Available oxygen content (%) < 1%
no classification

| | |
|---------------------|--|
| Vapour pressure: | not determined |
| Density (at 20 °C): | 1,59 g/cm ³ |
| Water solubility: | The study does not need to be conducted because the substance is known to be insoluble in water. |

Solubility in other solvents

| | |
|------------------------|----------------|
| not determined | |
| Partition coefficient: | not determined |
| Vapour density: | not determined |
| Evaporation rate: | not determined |

9.2. Other information

| | |
|----------------|----------------|
| Solid content: | not determined |
|----------------|----------------|

Safety Data Sheet

according to Regulation (EC) No 1907/2006



Revision date: 21.03.2019

VYSF, Comp. B

Product code: SDB0020

Page 6 of 10

SECTION 10: Stability and reactivity

10.1. Reactivity

see section 10.3

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Violent reaction with: Oxidising agent

10.4. Conditions to avoid

see section 7.2

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

Benzoic acid
Benzene
Biphenyl

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

| CAS No | Chemical name | | | | |
|---------|--------------------|------------------|---------|--------|--------|
| | Exposure route | Dose | Species | Source | Method |
| 94-36-0 | Dibenzoyl peroxide | | | | |
| | oral | LD50 >5000 mg/kg | Rat | | |

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

OECD 201 (Desmodesmus subspicatus)

IC10: (0 - 72 h) = 30 mg/l

IC50: (0 - 72 h) = 150 mg/l

OECD 202 (Daphnia magna)

EC0/NOEC (48h) = 100 mg/l

EC50 (48h) = >500 mg/l

EC100 (48h) = >>500 mg/l

OECD 203 (Danio rerio)

LC0/NOEC : 250 mg/l

LC50 : > 500 mg/l

LC100 : >> 500 mg/l

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VYSF, Comp. B

Revision date: 21.03.2019

Product code: SDB0020

Page 7 of 10

| CAS No | Chemical name | | | | | |
|---------|--------------------------|---------------|-----------|---------|--|----------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 94-36-0 | Dibenzoyl peroxide | | | | | |
| | Acute fish toxicity | LC50 mg/l | 0,0602 | 96 h | Oncorhynchus mykiss (Rainbow trout) | OECD 203 |
| | Acute algae toxicity | ErC50 mg/l | 0,0711 | 72 h | Pseudokirchneriella subcapitata | OECD 201 |
| | Acute crustacea toxicity | EC50 | 0,11 mg/l | 48 h | Daphnia magna (Big water flea) | OECD 202 |
| | Algae toxicity | NOEC mg/l | 0,02 | 3 d | Pseudokirchneriella subcapitata | OECD 201 |
| | Crustacea toxicity | NOEC mg/l | 0,001 | 21 d | Daphnia magna (Big water flea) | OECD 211 |
| | Acute bacteria toxicity | (35 mg/l) | | 0,5 h | | OECD 209 |

12.2. Persistence and degradability

The product has not been tested.

| CAS No | Chemical name | | | |
|---------|---|-------|----|--------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 94-36-0 | Dibenzoyl peroxide | | | |
| | OECD 301D | 71% | 28 | |
| | Readily biodegradable (according to OECD criteria). | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|---------|--------------------|---------|
| 94-36-0 | Dibenzoyl peroxide | 3,2 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

The following waste code numbers from the European Waste Catalog (EWC) are considered as recommendations.

Dispose of waste according to applicable legislation. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Waste disposal number of waste from residues/unused products

Safety Data Sheet

according to Regulation (EC) No 1907/2006

VYSF, Comp. B

Revision date: 21.03.2019

Product code: SDB0020

Page 8 of 10

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Waste disposal number of used product

080409 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products); waste adhesives and sealants containing organic solvents or other hazardous substances; hazardous waste

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.
14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. B

Revision date: 21.03.2019

Product code: SDB0020

Page 9 of 10

EU regulatory information

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III) (SEVESO III):

Additional information

VOC content: 4,3 % (DIN EN ISO 11890-2)

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).
Water contaminating class (D): 1 - slightly water contaminating
Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 8.

Abbreviations and acronyms

ADN: Accord européen relatif au transport international des marchandises Dangereuses par voie de Navigation
(European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR: Accord européen sur le transport des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
CAS: Chemical Abstracts Service
CLP: Classification, Labeling and Packaging
DMEL: Derived Minimal Effect level
DNEL: Derived No Effect Level
EC50: Effective concentration, 50%
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations (DRG) for the air transport (IATA)
ICAO: International Civil Aviation Organization
IC50: Inhibitory concentration, 50%
IMDG: International Maritime Code for Dangerous Goods
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
NOEC: No Observed Effect Concentration
OECD: Organisation for Economic Co-operation and Development
PBT: persistent, bioaccumulative and toxic
vPvB: very persistent and very bioaccumulative
PNEC: Predicted No Effect Concentration
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail)
VOC: Volatile organic compound
Aquatic Acute 1: Acute aquatic hazard, Category 1
Aquatic Chronic 1: Long-term aquatic hazard, Category 1
Eye Irrit. 2: Serious eye damage/eye irritation, Category 2
Skin Sens. 1: Skin sensitization, Category 1
Org. Perox. B: Organic Peroxides, Type B

Safety Data Sheet

according to Regulation (EC) No 1907/2006



VYSF, Comp. B

Revision date: 21.03.2019

Product code: SDB0020

Page 10 of 10

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Eye Irrit. 2; H319 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |

Relevant H and EUH statements (number and full text)

| | |
|------|---|
| H241 | Heating may cause a fire or explosion. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)